
WHITE HORSE TEST REPORTS


DIMENSIONS AND Surface quality	PORCELAIN TILES - GROUP BIa			PORCELAIN TILES - GROUP BIa			PORCELAIN TILES - GROUP BIa	
	ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)	PHYSICAL PROPERTIES	ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)	CHEMICAL PROPERTIES	ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)
Length and Width	± 0.6% / ±2.0mm	Passed	Water Absorption	Maximum 0.5%	Average 0.07% Individual Maximum 0.10%	Chemical Resistance To Household Chemical Of Glazed Tiles	Minimum GB	No Visible Effect (GA)
Thickness	± 5% / ± 0.5 mm	Passed	Breaking Strength	Not Less Than 1300N	Average 2000N	Chemical Resistance To Swimming Pool Salts Of Glazed Tiles	Minimum GB	No Visible Effect (GA)
Straightness of Sides	± 0.5%/± 1.5mm	Passed	Modulus of Rupture	Minimum 35N/mm ²	Average 63N/mm² Individual Minimum 56N/mm²	Chemical Resistance To Hydrochloric Acid (3%) Of Glazed Tiles	GLA: No Visible Effect	GLA
Rectangularity	± 0.5% / ±2.0 mm	Passed	Resistance to Deep Abrasion of Unglazed Tiles	Maximum 175mm ³	126mm ³	Chemical Resistance To Citric Acid (100g/I) Of Glazed Tiles	GLB: Definite Change In Appearance	GLA
Flatness of Surface	± 0.5% /±2.0 mm			Class 3:			GLC:	
Centre Curvature	±0.5% /±2.0 IIIIII	Passed	Resistance to Surface Abrasion	For Normal Footwear		Chemical Resistance To Potassium Hydroxide	Partial Or Complete Loss Of The	GLA
Edge Curvature	± 0.5% /±2.0 mm	Passed	of Glazed Tiles	of Glazed Tiles Glass 4: For Regular Traffic With	Class 4	(30g/l) Of Glazed Tiles	Original Surface	
Warpage	± 0.5% /±2.0 mm	Passed		Some Scratching Dirt				
Surface Quality	A minimum of 95% free from visible defects	Passed	Crazing Resistance	No Crazing Observed	Passed	Staining Resistance Test Of Glazed Tiles	Minimum Class 3	Class 5 (Stain Can Be Easily Removed With Running Hot Water)

SHADE & TONALITIES









- . The accuracy of colours shown in this brochure is as close as the printing process will allow.
- The appearance of tiles featured in this brochure may differ from the actual items sold.
- . The pictures are only illustrative of the tile combinations.
- All tiles are packed in accordance with the standard packing list. For special orders and custom sizes, tile products will be custom-packed based on quality and specification requested.
- · White Horse Ceramic Industries Sdn. Bhd. reserves the right to amend the colour range or specifications of tiles at any time without notice.



WHITE HORSE CERAMIC INDUSTRIES SDN. BHD.

(Co. No. 216824-X)

PLO 464, Jln Gangsa, Zone 11, Pasir Gudang Industrial Estate, 81700 Pasir Gudang, Johor, Malaysia.

- (607)253 5300
- (a) (607)251 8855
- whcisb@whitehorse.com.my

























Download White Horse

PORCELAIN STONE

600X1200







SANTAFIORA SERIES

H62094

Avocado color







SIZE	CARTON			PALLET		
SILL	pcs	m²	kg	ctns	m²	kg
600mm x 1200mm	2	1.44	42.04	38	54.72	1,620.52



SANTAFIORA SERIES

H62093

Avocado color









\$17E		CARTON		PALLET		
3125	pcs	m²	kg	ctns		kg
600mm x 1200mm	2	1.44	42.04	38	54.72	1,620.52




SILTSTONE SERIES

H62090

Peach color





SIZE		CARTON		PALLET		
SILE	pcs	m²	kg	ctns	m²	kg
600mm x 1200mm	2	1.44	42.04	38	54.72	1,620.52



SILTSTONE SERIES

H62089

Ash color







SIZE		CARTON		PALLET		
3125	pcs	m²	kg	ctns	m²	kg
600mm x 1200mm	2	1.44	42.04	38	54.72	1,620.52



BIANCO SERIES

H62088

Fog color





SIZE			CARTON		PALLET		
		pcs	m²	kg	ctns	m²	kg
600mm x 1200mm		2	1.44	42.04	38	54.72	1,620.52