

# WHITE HORSE TEST REPORTS

DIMENSIONS AND SURFACE QUALITY	CERAMIC TILES - GROUP BIa & BIb		PHYSICAL PROPERTIES	CERAMIC TILES - GROUP BIa & BIb		CHEMICAL PROPERTIES	CERAMIC TILES - GROUP BIa & BIb	
	ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)		ISO 13006 Standard	White Horse Tiles (Test Result By SIRIM)
Length and Width	± 0.6% / ± 2.0mm	Passed	Water Absorption	3% < E ≤ 6% (BIa) 6% < E ≤ 10% (BIb)	3% < E ≤ 6% (BIa) 6% < E ≤ 10% (BIb)	Chemical Resistance To Household Chemical Of Glazed Tiles	Minimum GB	No Visible Effect (GA)
Thickness	± 5% / ± 0.5mm	Passed	Breaking Strength	Not Less Than 1000N (BIa) Not Less Than 800N (BIb)	Passed	Chemical Resistance To Swimming Pool Salts Of Glazed Tiles	Minimum GB	No Visible Effect (GA)
Straightness of Sides	± 0.5% / ± 1.5mm	Passed	Modulus of Rupture	Minimum 22N/mm <sup>2</sup> (BIa) Minimum 18N/mm <sup>2</sup> (BIb)	Passed	Chemical Resistance To Hydrochloric Acid (3%) Of Glazed Tiles	GLA: No Visible Effect	GLA - GLB
Rectangularity	± 0.5% / ± 2.0mm	Passed	Resistance to Deep Abrasion of Unglazed Tiles	N/A	N/A	Chemical Resistance To Citric Acid (100g/l) Of Glazed Tiles	GLB: Definite Change In Appearance	GLA - GLB
Flatness of Surface	+ 0.5% / ± 2.0mm	Passed	Resistance to Surface Abrasion of Glazed Tiles	Class 1: Soft-Soled Footwear Without Scratching Disc	Class 1 - 3	Chemical Resistance To Potassium Hydroxide (50g/l) Of Glazed Tiles	GLC: Partial Or Complete Loss Of The Original Surface	GLA - GLB
Centre Curvature	± 0.5% / ± 2.0mm			Class 2: Soft-Soled Footwear With Small Amounts Scratching Disc				
Edge Curvature	± 0.5% / ± 2.0mm			Class 3: Normal Footwear With Small Amounts Scratching Disc				
Warpage	± 0.5% / ± 2.0mm	Passed	Crazing Resistance	No Crazing Observed	Passed	Staining Resistance Test Of Glazed Tiles	Minimum Requirement GLB	
Surface Quality	A minimum of 95% free from visible defects	Passed					Minimum Class 3	Passed

## SHADE & TONALITIES

<p><b>V1 UNIFORM</b> FROM TILE TO TILE</p> <p><b>V1</b> Colour range and tonality within the same shade is fairly uniform from tile to tile. Minimal to zero difference among tiles from the same production run.</p>	<p><b>V2 SLIGHTLY NOTICEABLE</b> FROM TILE TO TILE</p> <p><b>V2</b> Colour range and tonality within the same shade is slightly noticeable from tile to tile. Visibly distinguished difference in design or pattern with minimal change in colour tones.</p>	<p><b>V3 MODERATELY NOTICEABLE</b> FROM TILE TO TILE</p> <p><b>V3</b> Colour range and tonality within the same shade is moderately noticeable from tile to tile. Visibly distinguished difference in design or pattern.</p>	<p><b>V4 DISTINCTLY NOTICEABLE</b> FROM TILE TO TILE</p> <p><b>V4</b> Colour range and tonality within the same shade is distinctly noticeable from tile to tile. Random colour differences from tile to tile create the possibility of unique tile compositions.</p>
---	--	--	---

- The accuracy of colours shown in this brochure is as close as the printing process will allow.
- The appearance of tiles featured in this brochure may differ from the actual items sold.
- The pictures are only illustrative of the tile combinations.
- All tiles are packed in accordance with the standard packing list, For special orders and custom sizes, tile products will be custom-packed based on quality and specification requested.
- White Horse Ceramic Industries Sdn. Bhd. reserves the right to amend the colour range or specifications of tiles at any time without notice.



### WHITE HORSE CERAMIC INDUSTRIES SDN. BHD.

(Co. No. 199101006514 (216824-X))


📍 PLO 464, Jln Gangsa, Zone 11, Pasir Gudang Industrial Estate, 81700 Pasir Gudang, Johor, Malaysia.

☎ (607)253 5300

☎ (607)251 8855

✉ whcisb@whitehorse.com.my

🌐 www.whitehorse.com.my



Download White Horse Ceramic App NOW!

Scan QR Code



DEC 2023  
CLCP600001

# FLOOR Ceramic Tiles

## 600mm x 600mm

Ultimate Quality,  
Timeless Design



**WHITE HORSE**  
CERAMIC





C60016

# RAYO SERIES

600mm x 600mm  Gloss Finish, Glazed



Ceramic



Floor



Wall



Variation

**NEW!**



C60016 



C60017 

SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20





C60015

# MONTES SERIES

600mm x 600mm **G** Gloss Finish, Glazed



Ceramic



Floor



Wall



V2  
Variation



C60014 **G**



C60015 **G**

SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20

**NEW!**



C60013

# STATUARIO SERIES

600mm x 600mm  Gloss Finish, Glazed



Ceramic



Floor



Wall




Variation



C60013 

SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20







C60008

# RUSCELLO SERIES

600mm x 600mm  Gloss Finish, Glazed



Ceramic



Floor



Wall



V2  
Variation



C60008 

SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20





C60007

# CREMA SERIES

600mm x 600mm **G** Gloss Finish, Glazed



Ceramic




Floor



Wall



V2  
Variation



C60006 **G**



C60007 **G**

SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20







C60003

# COSTIERO SERIES

600mm x 600mm **G** Gloss Finish, Glazed



Ceramic



Floor



Wall



V2

Variation



C60003 **G**

SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20





C60002

# CARRARA SERIES

600mm x 600mm **M** Matt Finish **G** Gloss Finish, Glazed



Ceramic



Floor




Wall



V2

Variation



C60001 **G** C60002 **M**

SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20








C60100

# NORMAL SERIES

600mm x 600mm  Gloss Finish, Glazed

-  Ceramic
-  Floor
-  Wall
-  V1 Variation



C60100 

SIZE	CARTON			PALLET		
	pcs	m <sup>2</sup>	kg	ctns	m <sup>2</sup>	kg
600mm x 600mm	4	1.44	28.93	40	57.60	1,180.20